


WALL TILES COLLECTION — 300x600mm

SIMPLE AND SOPHISTICATED

INTERIOR STYLE



COLLECTION YEAR 2023

MADE IN INDIA
SINCE 2018


WALL TILES COLLECTION

DESIGN SPACES FOR A LUXURIOUS LIFESTYLE

The wall tiles enhance your space by highlighting it with its various designs and rich colours. Different patterns and designs depict different lifestyles. Wall tiles create stylish decor for a space. The symmetrical patterns of the wall tiles give a space an elegant appeal and form the perfect blend of classic style and modern chic. we aspire to create a beautiful space with a modern ambience. Your space reflects your personality and so we curate products that match everyone's decor taste!



300x600mm



CLASSIC AESTHETIC FEEL FOR YOUR CLASSIC CULTURAL CHOICE

Smooth and authentic. A uniquely genuine sensation is created by the incredibly authentic veins and shades of colour, perfect for guaranteeing a beautifully smooth overall effect.


300x600 MM



The Possibilities are infinite. PRODUCT

Ceramics believe that every product is just as unique as God's creation. They have not only put in their sweat into creating world-class products but have also dedicated their minds and hearts.

To create products that are truly outstanding, one needs to understand the heart of it. And in this case it's ceramic. has researched every aspect of ceramic as a material in terms of its reaction to light, to climatic conditions, etc



Vision:

Our vision is to innovate and create products for the consumers that not only accentuate their homes, but also touch their lives.

Mission:

Our mission is to bring to life the various emotions that exist between the four walls of a home and paint them on a canvas as a testimony of the style, the joy and the memories of the people who live there.

Values:

"It's not hard to make a decision when you know what your values are." - Roy E. Disney

Values are the pillars of any organisation that strengthens its existence. We hold the values of integrity, environmental consciousness, hardwork and equality close to our heart. Our every endeavour is based on the foundation of these value systems, that not only keeps us in check but also helps us grow as an organisation.

FEATURE & SPECIFICATION



STRESSES AND ABRASION

400 kg/cm² of mechanical pressing and firing at 1250°C



CHROMATICALLY STABLE

unchanged by weather and smog



FROST RESISTANT

and sudden thermal changes



THERMAL SHOCK RESISTANT

Resistant 10 cycles



HYGIENIC SURFACE

suitable for living spaces



SURFACE QUALITY

as per eurostandards min 95% required but we have min. 96%



EASY TO CLEAN

surface that suits easy cleaning



STAIN RESISTANT

Resistant to all acids and alkalies & household chemicals



FIRE PROOF

withstand at high temperature



WATER ABSORPTION

EUROSTANDARDS >10%
Stand at 12-18 % spaces

COLLECTION
BY
SERIES &
FINISHES





- GLOSSY
- SATIN MATT
- HARD MATT
- RAINDROP

MARVELOUS & SPECTACULAR
SPREE OF
RAVISHING DESIGNS


300x600
GLOSSY

FINISH






2025 HL1




2028 HL1




2026 HL1




2029 HL1




2027 HL1



2030 HL1



300x600mm
WALL TILES




2061 HL1




2064 HL1




2067 HL1




2071 HL1



2062 HL1




2065 HL1



2068 HL1



2072 HL1




2063 HL1



2066 HL1




2069 HL1





2073 HL1




2070 HL1



2074 HL1





2075 HL1




2079 HL1




2076 HL1



2080 HL1



2077 HL1




2081 HL1



2078 HL1






2031 HL1



2082 HL1




2032 HL1



2083 HL1




2033 HL1




2084 HL1







2034 HL1




2086 HL1



2085 HL1



2087 HL1




300x600mm
WALL TILES



GL
SY
FINISH




2088 HL1



2090 HL1




2092 HL1




2095 HL1



2089 HL1



2091 HL1






2093 HL1



2096 HL1



2094 HL1





2097 HL1



2101 HL1



2098 HL1



2102 HL1



2099 HL1




2103 HL1



2100 HL1






2035 HL1




2037 HL1



2036 HL1




2038 HL1




300x600mm
WALL TILES



GL
SY
FINISH




2104 HL1




2106 HL1




2108 HL1




2111 HL1



2105 HL1



2107 HL1




2109 HL1




2112 HL1



2110 HL1




2113 HL1






2039 HL1




2117 HL1




2114 HL1



2118 HL1



2115 HL1



2119 HL1




2116 HL1



2120 HL1







2121 HL1




2124 HL1



2122 HL1




2125 HL1




2123 HL1





2126 HL1



2127 HL1



2128 HL1



2221 HL1



300x600mm
WALL TILES



GL
SY
FINISH



2040 HL1



2129 HL1



2131 HL1



2134 HL1




2059 HL1



2130 HL1



2133 HL1




2135 HL1




2132 HL1







2136 HL1




2139 HL1




2137 HL1



2140 HL1



2138 HL1





2041 HL1



2044 HL1



2042 HL1




2045 HL1



2043 HL1



300x600mm
WALL TILES




2141 HL1



2145 HL1



2149 HL1



2152 HL1



2142 HL1



2146 HL1



2150 HL1



2153 HL1




2143 HL1



2147 HL1



2151 HL1



2144 HL1



2148 HL1



CHARACTERISTICS	EURO STANDARD EN-159/IS 13753	VALUE
DIMENSION & SURFACE QUALITY		
Dimension & Surface Quality	± 0.5%	± 0.4%
Deviation in Thickness	± 0.6 mm	± 0.3 mm
Straightness of sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
Surface Flatness	± 0.5%	± 0.3%
Surface Quality	Min. 95%	Min. 96%
PHYSICAL PROPERTIES		
Water Absorption	> 10%	12-15%
Bending Strength	> 150 kg./cm ²	150-180 kg./cm ²
Scratch hardness (Mohs)	Min. 3	Min. 3
Crazing	1 Cycle	No Crazing at 4 Cycles
CHEMICAL PROPERTIES		
Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemicals, except Hydro Flouric Acid
Household Chemical	Min Class B	
THERMAL PROPERTIES		
Thermal Shock	Resistant to 10 Cycles	CONFORMS
Thermal Expansion	Max. 9E-06	CONFORMS

Size	Thickness (approx)	Tiles / Box	Coverage Area / Box	Coverage Area / Box	Wt. of Box (approx)
300x600mm	9 mm	5 pcs.	0.90 sq. mtr.	9.69 sq. ft.	14.0 kgs.
300x300mm	8 mm	8 pcs.	0.72 sq. mtr.	7.74 sq. ft.	9.5 kgs.

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.

2. Our conformity to the above Fast is applicable only for Quality.

3. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company dose not accept responsibility once the tiles are laid.

